
AC Paddle Wall Station





Avi-on Paddles/Switches enable physical and Bluetooth® wireless lighting controls for on/off functions. Solutions are available for new construction and retrofit needs. All controls interface to lighting fixtures and with the Avi-on App, providing a platform that supports easy-to-change grouping, scheduling, timers and scenes.

Benefits

- Enable networked lighting control of switch legs utilizing existing wiring and no changes to fixtures
- Automated control of lighting and plug loads based on schedule, occupancy sensor, additional wall station controllers, or via Application or API integration (ex. Alexa or Google Assistant)

Features

- Direct control (on/off) of load regardless of other system components
- No additional wiring required
- Capable of multi-ganging, and compatible with Decora-style faceplates
- Standard wall-box mount, using single-gang space
- · XYZ Color Options

ORDERING INFORMATION

| Part Number | Name | Description |
|-------------|----------------|---|
| AVI13869 | In-wall Switch | Decora-style switch with LED status indicator. AC-powered. Maximum Loads: Incandescent: 600W, 2-way: 500W, 3-way: 400W, CFL/LED: 150W, 2-way: 125W, 3-way: 100W |

To order please contact Avi-on sales at **(877) AVION-US,** (877) 284-6687 or **prosales@avi-on.com** for information on becoming an Avi-on partner and order details.

| Project | |
|---------|--|
|---------|--|



Options

- · Direct AC circuit switching and dimming
- · Ability to add wireless switching
- Ability to add additional control points without direct wiring

Specifications

- · Indoor use only
- 120VAC, 60Hz
- Operating Temp: 32 to 104 $^{\circ}$ F (0 to 40 $^{\circ}$ C)
- · Grouping and Favoriting with the Avi-on App

DIMENSIONS & CERTIFICATIONS


Case Dimensions

| Part | Length | Width | Height |
|----------------|---------------|--------------|--------------|
| In-wall Switch | 4.13" (105mm) | 2.14" (54mm) | 1.81" (46mm) |

Certifications

| Regulatory | Description | |
|------------|--|--|
| USA | FCC: U2ZBT3101, U2ZBT4101, U2ZBT3001, U2ZBT4001 | |
| Canada | IC: 6924A-BT3101, 6924A-BT4101, 6924A-BT3001, 6924A-BT4001 | |
| UL | 3MWZ | |

Dimensions






Figure 1. In-Wall Switch Dimensions

